

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/268113563>

Bifunctional Properties of ZnS:0.05Mn Nanoparticles

Conference Paper · May 2013

CITATIONS

0

READS

22

4 authors:



Juan Beltran-Huarac

East Carolina University

52 PUBLICATIONS 611 CITATIONS

[SEE PROFILE](#)



Gerardo Morell

University of Puerto Rico at Rio Piedras

240 PUBLICATIONS 3,016 CITATIONS

[SEE PROFILE](#)



Wojciech M Jadwisienczak

Ohio University

109 PUBLICATIONS 1,943 CITATIONS

[SEE PROFILE](#)



Jingzhou Wang

Intel

25 PUBLICATIONS 207 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Metal Oxide Nanostructures: Growth, Characterisation and Optical Properties [View project](#)



Growth and characterization of Er-doped GaN thin films by MBE [View project](#)

Bifunctional properties of ZnS:0.05Mn nanoparticles

Juan Beltran-Huarac^{1,2,a)}, Gerardo Morell^{1,2}, Wojciech Jadwisienczak³, and Jingzhou Wang³

¹Institute for Functional Nanomaterials, University of Puerto Rico, San Juan, PR 00931, USA

²Department of Physics, University of Puerto Rico, San Juan, PR 00936, USA

³School of Electrical Engineering and Computer Science, Ohio University, Athens, OH 45701, USA

Abstract

We have successfully investigated the temperature-dependent luminescent and magnetic properties as well as its kinetics of ZnS:0.05Mn synthesized via a chemical co-precipitation route. Both X-Ray and electron diffraction patterns suggest the formation of the cubic zinc blende structure of ZnS with well-defined diffraction peaks and rings, respectively. The high-resolution electron transmission microscope (HRTEM) images show clearly the lattice fringes of ZnS with an average crystallite size of around 4 nm. It is well-established that Mn²⁺-doped ZnS possesses a blue emission band centered at ca.416 nm and an orange-yellow emission band centered at ca.598 nm whose photoluminescence (PL) intensities depend strongly on the doping level. However, in this study we have found for ZnS:0.05Mn an evolution of such emission bands when ranged from 10 K to 300 K which is consistent with the Mn²⁺ ion relaxation mechanism in ZnS host proposed by Fong for rare earths. Both emission band PL intensities offset at ca.130 K. The luminescence decay of ZnS:0.05Mn was ca.8.9 ms which was found through Förster's model. No temperature dependence of luminescence decay was observed. The Curie's temperature using a superconducting quantum interference device (SQUID) magnetometer was to be approximately 30 K under 300 Oe. The magnetoluminescence properties were further studied and will be also presented.